

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor\$4).CLM. and (accept\$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 717/106.OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/17 01:20
L2	0	((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor\$4).CLM. and (accept\$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 717/113.OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/17 01:20
L3	0	((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor\$4).CLM. and (accept\$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 717/121.OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/17 01:20

L4	0	((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor\$4).CLM. and (accept\$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 709/217.OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/17 01:20
L5	0	((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor\$4).CLM. and (accept\$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 455/412.1.OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/17 01:21
S1	2	"20070168912"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 10:06
S3	229	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((compil \$3 near4 (program or source or code or application)) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and (@ad < "20030820" or @prad < "20030820" or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:27

		@rlad < "20030820")				
S4	116	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:28
S5	0	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and (check\$3 same ((data or program) near3 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:30

S6	0	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and (check\$3 same ((data or program) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:30
S7	32	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:31

S8	0	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program or code) near5 size) and ((terminal or mobile) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:32
S9	32	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program or code) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:32

S10	0	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((check\$3 or verify\$3 or examin\$3) near4 ((data or program or code) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:33
S11	0	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((check\$3 or verify\$3 or examin\$3) same ((data or program or code) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:34

S12	33	((paramete\$2 or input) same ((creat\$3 or generat\$3 or regenerat\$3 or develop\$5) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program or code) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:35
S13	1	S12 and ((mobile or remote) near4 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:38
S15	11	S12 and (((mobile or remote) near4 device) or (PDA))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:39
S16	68	((((program or source or code) near4 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4)) same ((base or basis) near4 (paramete\$2 or input))) and (compil\$3 near5 (program or source or code)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:43

S17	2	((program or source or code) near4 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4)) same ((base or basis) near4 (paramete\$2 or input))) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:45
S18	6	((program or source or code) near4 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4)) same ((base or basis) near4 (paramete\$2 or input))) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:45
S19	737	((program or source or code) near5 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:47



S20	804	((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:48
S21	9	((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (((investigat\$3 or check\$3 or examin\$3) near3 (program or data or code) near3 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:50
S22	165	((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01

		or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")				
S23	196	((((program or source or code) near3 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near4 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01
S24	237	((((program or source or code) near3 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01

		or @rlad < "20030820")				
S25	100	(((program or source or code) near3 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (((program or code or data or application) near4 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:02
S26	0	(((program or source or code) near5 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (((program or code or data or application) near4 size) and "accepting unit" and (@ad < "20030820" or @prad < "20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:04

		or @rlad < "20030820")				
S27	0	((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:04
S28	1	((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:05

S29	1	((program or source or code) near6 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:07
S30	4	((program or source or code) near6 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20060824" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:10
S32	778	((program or source or code) near6 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:38

S33	185	((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and ((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:38
S34	4	((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same ((base or basis or depend\$3) near4 paramete\$2)) and (compil\$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and ((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:40
S35	2	"20030149958"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:36

S36	2	"20010046862"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:39
S37	2	"6934532".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:40
S38	2	"7257620".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:40
S39	2	"6851106".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:41
S40	2	"7152229".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:41
S41	16	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US- 4692896-\$ or US- 5819074-\$ or US- 5878262-\$ or US- 5937188-\$ or US- 6934532-\$ or US- 6851106-\$).did. or (JP- 60069781-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/10/29 16:48

S42	7	S41 and (reduc\$5 same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:48
S43	7	S41 and ((reduc\$5 or decreas\$3 or cut\$4) same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:52
S44	8	S41 and ((reduc\$5 or decreas\$3 or cut\$4 or monitor\$3 or warn\$4) same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:53
S45	16	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$).did. or (JP-60069781-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/10/29 16:57
S46	10	S45 and (size same (monitor\$3 or reduc\$4 or cut\$4 or decreas\$3 or warn\$3 or notif\$5 or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:59
S47	3	S45 and ((size same (paramete\$2 or input)) same (limit\$3 or notif\$5 or warn\$4 or aler\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 17:09



S49	203	((bas\$2 or basis) near6 ((paramete\$2 or input) same ((creat\$3 or generat\$3 or produc\$3 or regenerat\$3) near5 (program or code or application or source)))) and (compil\$3 near4 (program or source or code or application)) and ((data or program or code) same size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:50
S50	97	((bas\$2 or basis) near6 ((paramete\$2 or input) same ((creat\$3 or generat\$3 or produc\$3 or regenerat\$3) near5 (program or code or application or source)))) and (compil\$3 near4 (program or source or code or application)) and ((data or program or code)near3 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:51
S51	90	((bas\$2 or basis) near6 ((paramete\$2 or input) same ((creat\$3 or generat\$3 or produc\$3 or regenerat\$3) near5 (program or code or application or source)))) and (compil\$3 near4 (program or source or code or application)) and ((data or program or code) near2 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:52

S52	29	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$ or US-7389492-\$ or US-7313785-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$).did. or (JP-60069781-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/01 22:48
S53	5	S52 and (((limit\$3 or eliminat\$3 or reduc\$3) near4 size) same (input\$2 or paramete\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/01 22:48
S54	3	S52 and (((input or user) near3 interface) same paramete\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:05
S55	3	S52 and (((input or user or graphical) near7 interface) same paramete\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:08

S56	17	S52 and (((input or user or graphical) near7 interface) same ((generat\$4 or produc\$4 or regenerat\$4) near5 (program or code or software)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:09
S57	18	S52 and (((input or user or graphical) near7 interface) same ((generat\$4 or produc\$4 or regenerat\$4 or creat\$3) near5 (program or code or software)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:10
S58	2	S52 and ((check\$3 or compar\$3) same (number near6 (input or parameter\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:20
S59	2	S52 and ((check\$3 or compar\$3 or determin\$3) same (number near6 (input\$2 or parameter\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:21
S61	313	(((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3 or determin\$3) near4 (number near4 (input\$2 or paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:26

S62	267	((program or source or code) near6 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar \$4 or check\$3 or determin\$3) near4 (number near2 (inpu \$2 or paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:26
S63	61	((program or source or code) near6 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar \$4 or check\$3) near4 (number near2 (inpu \$2 or paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:29
S64	42	((program or source or code) near6 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar \$4 or check\$3) near4 (number near2 (paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:30

S65	2	"6928579".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:57
S66	32	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US- 4692896-\$ or US- 5819074-\$ or US- 5878262-\$ or US- 5937188-\$ or US- 6934532-\$ or US- 6851106-\$ or US- 7389492-\$ or US- 7313785-\$ or US- 7278130-\$ or US- 7137100-\$ or US- 6681383-\$ or US- 4992971-\$).did. or (JP- 60069781-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 11:32
S67	7	S66 and (photograph \$3 or film\$3 or camera)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 11:33
S68	19	S66 and (photograph \$3 or film\$3 or camera imag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:24

S69	19	S66 and (photograph \$3 or film\$3 or camera or imag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:44
S70	25	S66 and (photograph \$3 or film\$3 or camera or imag\$3 or graphic \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:44
S71	1	((((program or source or code) near6 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar \$4 or check\$3) near4 (number near2 (paramete\$2))) and photograph\$3 and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:52
S72	1	((((program or source or code) near6 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar \$4 or check\$3) near4 (number near2 (paramete\$2))) and (photograph\$3 or film \$3) and(@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:53

S73	7	((program or source or code) near6 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar \$4 or check\$3) near4 (number near2 (inpu \$2 or paramete\$2))) and (photograph\$3 or film\$3) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:55
S74	32	(US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$ or US-7389492-\$ or US-7313785-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$ or US-4992971-\$).did. or (JP-60069781-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 13:32

S75	18	S74 and (position\$3 or "gps")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:33
S76	18	S74 and (position\$3 or "gps" or navigation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:35
S77	28	S74 and (display or "user interface" or "graphical")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:45
S78	28	S74 and (display or (user near3 interface) or "graphical" or "hci")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:51
S79	14	S74 and ((search\$3 or research\$3) near4 (data or information or content or item))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:25
S80	6	S74 and (universal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:34
S81	7	S74 and (universal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:37
S82	11	S74 and ((universal\$3 or common\$2) near3 us\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:37



S83	5	S74 and ((universal\$3 or common\$2) near3 us\$3) and characte\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 15:25
S84	24	takashima-norikazu. IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:46
S85	4	S84 and (accept\$3 near3 unit) and (produc\$3 near3 unit) and (compil\$3 near2 unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:47
S86	8	oikawa-ayumu.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:53
S87	4	S86 and (accept\$3 near3 unit) and (produc\$3 near3 unit) and (compil\$3 near2 unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:53

**EAST Search History (Interference)**

&lt; This search history is empty &gt;

**4/ 17/ 10 1:21:58 AM****C:\ Documents and Settings\ cchow\ My Documents\ EAST\ Workspaces\ 10568622new.wsp**